

6401 POPLAR AVENUE, SUITE 100, MEMPHIS, TENNESSEE 38119 www.diagnosticimagingpc.com PHONE (901) 387-2340 • FAX (901) 680-1902

☐ Diagnostic Imaging to schedule patient.

Appointment Date:_	Time:	AM / PM
Patient Name		Date of BirthWeight
Referring Physician/Provider	Phone_	
Clinical History/Diagnosis		
	VIDER SIGNATURE (Required)	
	Patient Alternate I	
	Secondary Insura	nce
BREAST IMAGING	DEXA	MRI / MRA
□ Screening Mammogram □ Diagnostic Mammogram □ Breast Ultrasound R/L/Bil CT SCANS Creatinine levels are required for all patients 60 and over or who have diabetes or renal failure, if IV contrast is ordered. □ Creatinine/BUN (if indicated) □ Abdomen & Pelvis CT □ w □ wo □ w/wo □ Abdomen/Pelvis Stone Protocol □ Abdominal CT □ w □ wo □ w/wo □ Brain CT □ w/wo □ wo □ Cardiac Score □ Cervical Spine CT □ Chest CT □ w □ wo □ Kidney or Adrenal CT □ Liver/Spleen CT □ Lumbar Spine CT □ Lung Screening □ Maxillofacial CT	XRAY Abdomen/KUB Bone Age Study Cervical Spine Series Flexion/Extension Chest X-ray Foot Hand R □ L Hip R □ L Lumbar Spine Series Flexion/Extension R □ L Lumbar Spine Series Flexion/Extension R □ L R □	□ Abdomen MRI □ w/wo □ wo (NPO 8 hours before study) □ Ankle MRI □ R □ L □ Brain MRI □ w/wo □ wo □ MRI Brain/IAC □ w/wo □ wo □ wo □ Cervical Spine MRI □ w/wo □ wo □ Elbow MRI □ R □ L □ Foot MRI □ R □ L □ Hip MRI □ R □ L □ Hip MRI □ R □ L □ Lumbar Spine MRI □ w/wo □ wo □ wo □ wo □ wo □ wo □ wo □
□ Orbit CT□ Pelvis CT		Shoulder/Hip/Wrist/Elbow/Ankle/Knee Other – Please specify
□ Post Myelogram CT C/T/L Spine□ Sinus CT	FLUOROSCOPY Creating a level are required for all patients 60 and over or	
 □ Soft Tissue Neck CT □ w □ wo □ Temporal Bone □ Thoracic Spine CT □ Other – Please specify 	Creatinine levels are required for all patients 60 and over or who have diabetes or renal failure, if IV contrast is ordered. ☐ Arthrogram: ☐ R ☐ L Shoulder/Hip/Wrist/Elbow/Ankle/Knee ☐ Esophagram/Barium Swallow ☐ Hip Injection ☐ R ☐ L	ULTRASOUND □ Abdomen US □ Arterial US Bilateral □ Carotid US
CT ANGIOGRAPHY Aorta CTA Brain CTA Carotid CTA CTA Chest/PE Protocol Lower Extremity Runoff CTA Renal CTA Other – Please specify	□ Myelography: Cervical Thoracic Lumbar □ Small Bowel Follow Through □ Upper GI □ Other – Please specify Form must be received prior to patient's scheduled appointment or presented by the patient at their scheduled appointment time.	 □ Venous US □ R □ L □ Bilateral □ Neck (Soft Tissue) US □ Pelvis US □ Renal US □ Testicular/Scrotum US w/ doppler/duplex □ Thyroid US □ Transvaginal Pelvis US □ Ultrasound guided Core Biopsy at □ o'clock / quadrant □ Other - Please specify

Rev. 09/25

6401 POPLAR AVENUE, SUITE 100, MEMPHIS, TENNESSEE 38119 www.diagnosticimagingpc.com PHONE (901) 387-2340 • FAX (901) 680-1902

PATIENT INSTRUCTIONS

PLEASE FOLLOW THE PERTINENT EXAM INSTRUCTIONS UNLESS OTHERWISE INDICATED BY YOUR PHYSICIAN

CT & CTA

ABDOMEN / ABDOMEN & PELVIC CT

Nothing to eat or drink except water for 3 hours before the scan

CHEST/THORAX CT

Nothing to eat or drink except water 3 hours before the scan

CTA

Nothing to eat or drink except water 3 hours before the scan

KIDNEY STONE CT

No preparation needed

FLUOROSCOPIC STUDIES

MYELOGRAPHY CERVICAL, THORACIC AND LUMBAR

- No sleep aids should be taken for 48 hours before the procedure.
- Drink an increased amount of fluids for 24 hours before the procedure.
- No solid foods should be consumed for **4 hours** before the procedure.
- Patient should have someone available to drive after the procedure is completed.

UPPER GI/ESOPHAGRAM

- Nothing to eat or drink for 8 hours before the test.
- Children under 2 years old should have nothing to eat or drink for only
 4 hours before the test.

DEXA

- Withhold calcium for 24 hours before study
- Wear comfortable clothing with no metal

MAMMOGRAPHY

- Do not use deodorant, powders, ointment or perfume on your breasts or underarm area before the test.
- Bring previous mammography films or arrange for them to be sent to us
 if prior studies were not performed at our facility.

MRI/MRA

- Wear comfortable clothing with no metal.
- No pacemakers or aneurysm clips
- No implantable stimulators including bladder, spinal or nerve
- No pain pumps

ABDOMINAL MRI

Nothing to eat or drink except a small amount of water 8 hours before study

ULTRASOUND

ABDOMEN

(Liver, Gallbladder, Pancreas, and Spleen)

Nothing to eat or drink for **8 hours** before the test. (Children under 12, 3 hours unless the gallbladder is to be evaluated.)

PELVIS

It is necessary to have a full bladder for this test. Beginning about **2 hours** before the test you may need to drink 24-32 ounces of water in order to have a full bladder. No carbonated drinks. **Do not empty your bladder until after the test.**

ABDOMEN AND PELVIS

If you are having both tests at the same visit, you may drink water only but no food per Abdomen exam instructions above.

RENAL (KIDNEY)

- Renal US nothing to eat or drink except water for 4 hours before the test.
- Renal Doppler US nothing to eat or drink except water for 8 hours before the test.
- Children under 12 nothing to eat or drink 3 hours before study.

